



Threading the Ocean: Mapping Digital Routes Across Submarine Cables using Calypso

Caleb J. Wang
Northwestern University
caleb.wang@northwestern.edu

Ying Zhang
Northwestern University
yingzhang2024@u.northwestern.edu

Qianli Dong
Northwestern University
qianlid@northwestern.edu

Esteban Carisimo
Northwestern University
esteban.carisimo@northwestern.edu

Ramakrishnan Durairajan
University of Oregon
ram@cs.uoregon.edu

Fabián E. Bustamante
Northwestern University
fabianb@cs.northwestern.edu

Abstract

The Internet's connectivity relies on a fragile submarine cable network (SCN), yet existing tools fall short in assessing its criticality. We introduce Calypso, a new framework that leverages traceroute data to map traffic to submarine cables. Validated through real-world case studies, Calypso reveals hidden risks and offers new insights to enhancing SCN resilience.

CCS Concepts

• **Networks** → **Network measurement**; *Network topology*.

Keywords

Submarine cables, Network measurement, Network topology

ACM Reference Format:

Caleb J. Wang, Ying Zhang, Qianli Dong, Esteban Carisimo, Ramakrishnan Durairajan, and Fabián E. Bustamante. 2025. Threading the Ocean: Mapping Digital Routes Across Submarine Cables using Calypso. In *ACM SIGCOMM 2025 Conference (SIGCOMM '25)*, September 8–11, 2025, Coimbra, Portugal. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/3718958.3750512>

1 Introduction

The submarine cable network (SCN) underpins global Internet connectivity, spanning over 500 cables across 1.8 million kilometers [6, 20, 22]. As dependence on this infrastructure grows, so do the risks: from fishing accidents and natural disasters [8, 12, 17, 21] to geopolitical disruptions such as the 2024 Houthi attack, which severed multiple Red Sea cables [5]. Failures can be costly and slow to repair, with outages potentially affecting entire regions [13, 16, 18].

Submarine cable failures are difficult to analyze due to opaque infrastructure, complex routing, and limited visibility into ownership and usage. Virtualization techniques like MPLS decouple logical from physical paths, and inland interconnection points place traceroute hops far from landing stations, making geographic proximity an unreliable indicator. As a result, mapping traceroutes to physical cables faces four major obstacles: (1) inconsistent visibility into right-of-use arrangements; (2) logical hops that span multiple cables or domains; (3) ambiguity due to multi-path routing and measurement noise; and (4) ingress and egress points that lie far from landing stations, undermining geographic inference.

We introduce Calypso, a framework for mapping traceroute paths to the submarine cables they traverse. It consists of two components: Chartbook, a curated database of cable layout and usage rights, and Navigator, an inference engine that maps traceroutes to candidate cable segments using latency bounds and feasibility constraints. The design of Calypso acknowledges that the greatest challenge in mapping submarine cable dependencies lies not in tracing individual IP hops, but in reconciling fragmented, often ambiguous physical infrastructure data with inferred routing behavior from traceroutes. Compared to prior work [4, 19], Calypso offers higher fidelity by incorporating inland paths, rights-of-use, and route virtualization.

We validate Calypso through expert feedback (56/66 mappings confirmed) and alignment with real-world disruptions. Through case studies in Australia and Africa, we demonstrate how Calypso reveals hidden cable dependencies and surfaces rerouting patterns that shape global resilience.

2 Design Overview

Calypso maps traceroute paths to the submarine cables by combining infrastructure metadata with path-level inference. At the core of Calypso framework is the dual-engine inference pipeline composed of two components, namely Chartbook and Navigator (Fig. 1). Chartbook encodes the physical blueprint of submarine cable geography and ownership, whereas Navigator maps dynamic traceroute data



This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.

SIGCOMM '25, Coimbra, Portugal

© 2025 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-1524-2/2025/09

<https://doi.org/10.1145/3718958.3750512>




Figure 1: High-level architecture of Calypso.

atop the blueprint. Their integration enables Calypso to distinguish not just *where* traffic flows, but *how* and *under whose control*, offering a lens into both submarine cable infrastructure and its operational semantics.

Chartbook: Cable Infrastructure and Rights-of-Use.

Chartbook integrates submarine cable layouts from TeleGeography [22] and terrestrial infrastructure from iGDB [2]. It models submarine cables as a GeoJSON polyline [7] and decomposes these into pairwise segments for fine-grained path inference. To align submarine and terrestrial layers, landing points are mapped to iGDB-defined regions. ASN-to-cable associations are derived by reconciling commercial network names from TeleGeography with ASNs using as2org+ [3], PeeringDB [1], and WHOIS data.

Navigator: Mapping Traceroutes to Cables.

Navigator maps traceroutes to AS and country paths using bdrrmapIT [15] and geolocation [11, 14]. It constructs a city-level connectivity graph with submarine and terrestrial segments annotated by type, length, and network rights. For *international links*, it selects direct submarine cables matching usage rights and latency bounds; if none exist, it infers indirect paths via intermediaries. For *domestic links*, it connects ingress and egress points using national fiber or submarine segments. When multiple cable paths are possible, Navigator applies *latency filtering* to remove candidates violating speed-of-light constraints.

3 Validation and Results

We validate Calypso using expert feedback and analysis of cable failures, providing both direct and indirect evidence despite limited ground truth.

Expert Feedback. We collaborated with industry experts to evaluate the accuracy of Calypso’s inferences. For each traceroute, we validated (Q1) *whether our cable-level mapping was correct*, or (Q2) *if disclosure was limited due to confidentiality, whether our inference was plausible based on their operational knowledge*. Using 66 IP transport links drawn from case studies, we received feedback confirming 56/66 mappings as correct (Q1), with no reported inaccuracies. For the remaining 10 cases (Q2), experts declined to comment, citing sensitivity, particularly for terrestrial-only links. This

validation covers over 80% of our analysis traceroutes and reinforces confidence in Calypso’s precision.

Failure-Based Validation. We further assess Calypso using traceroute changes during submarine cable failures. Across six major failure events from 2019-2024, we analyze traceroute before, during, and after and validate Calypso’s inferences against known cable disruptions.

We show two examples where Calypso reveals critical infrastructure dependencies and resilience gaps.

Australia’s Cable Dependencies. Australia’s reliance on a small set of cables and ISPs raises concerns about concentrated risk. Despite growing geopolitical tensions, no new Cable Protection Zones (CPZs)[9, 10] have been declared since 2007. Using 480K traceroutes from 100 RIPE Atlas probes, Calypso mapped 92.5% of international paths, revealing that just six cables handle the majority of Australia’s outbound traffic, the majority of which towards the US (*SCCN, SC Next & Hawaiiki*) and Singapore (*Indigo West, SeaMeWe-3 & ASC*). Calypso’s mappings, validated across major ISPs, back recent policy moves to reassess CPZ coverage empirically.

Africa’s Cable Disruptions. Two back-to-back failures in early 2024 exposed how regional resilience depends on routing practices as much as physical topology. In February, a Houthi attack disrupted cables in the Red Sea, degrading Kenyan connectivity but sparing South Africa. In March, a West African landslide reversed the effect: South Africa experienced major disruptions while Kenya remained less affected. Calypso mapped 700K traceroutes, showing that the most impacted cables also carried the highest *Route Stress* – a metric estimating importance of submarine cables based on observed measurements. We discovered that the cables with the highest Route Stress in South Africa (*ACE, WACS, and SAT-3/WASC*) were the same cables disrupted in March 2024, explaining the severe impact on South African networks.

These examples highlight how Calypso can quantify critical dependencies and support risk-aware planning.

4 Conclusion

We introduced Calypso, a framework that maps traceroutes to submarine cables and quantifies their criticality through the Route Stress metric. Our validation and case studies in Australia and South Africa highlight its accuracy and utility in assessing infrastructure dependencies and failure impacts.

5 Acknowledgements

The authors thank the anonymous reviewers for their valuable feedback. The work is partially supported by National Science Foundation grants CNS-2107392, CNS-2246475, CNS-2145813 and the Internet Society.

References

- [1] 2023. PeeringDB. <https://catalog.caida.org/dataset/peeringdb>. doi:dataset/peeringdb Dates used: 2023-12-08. Accessed: 2023-12-08.
- [2] Scott Anderson, Loqman Salamatian, Zachary S. Bischof, Alberto Dainotti, and Paul Barford. 2022. iGDB: connecting the physical and logical layers of the Internet. In *Proc. of IMC*.
- [3] Augusto Arturi, Esteban Carisimo, and Fabián E. Bustamante. 2023. as2org+: Enriching AS-to-Organization Mappings with PeeringDB. In *Proc. of PAM*.
- [4] Zachary S. Bischof, Romain Fontugne, and Fabián E. Bustamante. 2018. Untangling the world-wide mesh of undersea cables. In *Proc. of Hot-Nets*.
- [5] Bloomberg News. 2024. Damaged Internet Cables Repaired in Red Sea as Houthis Attack Ships. (17 July 2024). <https://www.bloomberg.com/news/articles/2024-07-17/damaged-internet-cables-repaired-in-red-sea-as-houthis-attack-ships> Accessed: 2025-01-22.
- [6] Lucy Bricheno, Isobel Yeo, Michael Clare, James Hunt, Allan Griffiths, Lionel Carter, Peter J. Talling, Megan Baker, Stuart Wilson, Matthew West, Semisi Panuve, and Samuela Fonua. 2024. The diversity, frequency and severity of natural hazard impacts on subsea telecommunications networks. *Earth-Science Reviews* 259 (2024), 104972. doi:10.1016/j.earscirev.2024.104972
- [7] Howard Butler, Martin Daly, Allan Doyle, Sean Gillies, and Tim Schaub. 2016. The GeoJSON Format. Internet Requests for Comments. doi:10.17487/RFC7946
- [8] Kenjiro Cho, Cristel Pelsser, Randy Bush, and Youngjoon Won. 2011. The Japan Earthquake: the impact on traffic and routing observed by a local ISP. In *Proc. ACM CoNEXT Special Workshop on Internet and Disasters*.
- [9] Australian Communications and Media Authority. 2024. Zone to protect Perth submarine cables. <https://www.acma.gov.au/zone-protect-perth-submarine-cables>
- [10] Australian Communications and Media Authority. 2024. Zone to protect Sydney submarine cables. <https://www.acma.gov.au/zone-protect-sydney-submarine-cables#sydney-protection-zones>
- [11] Omar Darwich, Hugo Rimlinger, Milo Dreyfus, Matthieu Gouel, and Kevin Vermeulen. 2023. Replication: Towards a Publicly Available Internet Scale IP Geolocation Dataset. In *Proc. of IMC*.
- [12] Mick Green and Keith Brooks. 2011. *The Threat of Damage to Submarine Cables by the Anchors of Cables Underway*. Technical Report. Centre for International Law, National University of Singapore. <https://cil.nus.edu.sg/wp-content/uploads/2011/04/Mick-Green-and-Keith-Brooks-The-Threat-of-Damage-to-Submarine-Cables-by-the-Anchors-of-Cables-Underway.pdf>
- [13] Geoff Huston and George Michaelson. 2012. Superstorm Sandy and the Global Internet. The ISP Column.
- [14] Fabian E. Bustamante Kedar Thiagarajan, Esteban Carisimo. 2025. The Aleph. Conext 2025. <https://estcarisimo.github.io/assets/pdf/papers/2025-the-aleph.pdf> Accessed: 2025-01-30.
- [15] Alexander Marder, Matthew Luckie, Amogh Dhamdhare, Bradley Hufaker, kc claffy, and Jonathan M. Smith. 2018. Pushing the Boundaries with bdrmapIT: Mapping Router Ownership at Internet Scale. In *Proc. of IMC*.
- [16] Solomon Moore. 2012. Ship Accidents Sever Data Cables Off East Africa. <https://www.wsj.com/articles/SB10001424052970203833004577249434081658686>
- [17] Admire Moyo. 2024. Multiple Subsea Cable Breaks Knock SA's Internet. <https://subtelforum.com/south-africa-internet-hit-by-multiple-subsea-cable-breaks/>
- [18] Winston Qiu. 2011. Submarine Cables Cut by Taiwan Earthquake and Typhoon Morakot. Submarine Cable Networks.
- [19] Alagappan Ramanathan and Sangeetha Abdu Jyothi. 2023. Nautilus: A Framework for Cross-Layer Cartography of Submarine Cables and IP Links. *Proc. ACM Meas. Anal. Comput. Syst.* 7, 3 (dec 2023).
- [20] Nicole Starosielski, Iago Bojczuk, John Hooft-Toomey, Ramakrishnan Durairajan, Hannah Ellis, Erick Contag, and John Tibbles. 2025. Enhancing Strategic Resilience of Subsea Cables in the Caribbean. In *Proceedings of SubOptic '25*. Lisbon, Portugal.
- [21] Chris Stokel-Walker. 2022. Tonga's volcano blast cut it off from the world. Here's what it will take to get it reconnected. *MIT Technology Review* (January 2022).
- [22] TeleGeography. 2023. Submarine Cable Map. <https://www.submarinecablemap.com/>.